

## HAZARDS IDENTIFICATION

Potential Acute Health Effects: Slightly hazardous in case of skin contact (irritant, permeator), of eye contact (irritant), of ingestion, of inhalation.

Potential Chronic Health Effects:

Repeated or prolonged exposure is not known to aggravate medical condition.

## 3. COMPOSITION

Chemical Name Wt.% CAS No.

Polyethylene glycol 100 25322-68-3

## 4. FIRST AID MEASURES

Eye Contact: Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention if irritation occurs.

Skin Contact: Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops. Cold water may be used.

Serious Skin Contact: Not available.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Serious Inhalation: Not available.

Ingestion: DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.

Page 3

## 5. FIRE-FIGHTING MEASURES

Flammability of the Product: May be combustible at high temperature.

Auto-Ignition Temperature: Not available.

Flammable Limits: Not available.

Products of Combustion: These products are carbon oxides (CO, CO<sub>2</sub>).

Fire Hazards in Presence of Various Substances: Slightly flammable to flammable in

presence of heat.

Fire Fighting Media and Instructions:

Small Fire: Use DRY chemical powder.

Large Fire: Use water spray, fog or foam. Do not use water jet.

#### 6. ACCIDENTAL RELEASE MEASURES

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

Large Spill: Absorb with an inert material and put the spilled material in an appropriate waste disposal. Finish cleaning by spreading water on the contaminated surface and allow evacuating through the sanitary system.

#### 7. HANDLING AND STORAGE

Precautions: Keep away from heat. Keep away from sources of ignition. Empty containers pose a fire risk; evaporate the residue under a fume hood. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Wear suitable protective clothing. If ingested, seek medical advice immediately and show the container or the label. Keep away from incompatibles such as oxidizing agents.

Storage: Keep container tightly closed. Keep container in a cool, well-ventilated area. Do not store above 23°C.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Safety glasses. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Personal Protection in Case of a Large Spill: Splash goggles. Full suit. Vapor respirator.

Boots.

Page 4

Gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state and appearance: Liquid or solid

Odor: Odorless

Taste: Not available

Color: Colorless or white

pH (1% soln/water): Not available.

Melting Point:

PEG 300 = -11°

C

PEG 400 = 4-8 °

C

PEG 600 = 20-25 °

C

PEG 1500 = 44-48 °

C

PEG 4000 = 54-58 °

C

PEG 6000 = 56-63°

C

Critical Temperature: Not available.

#### 10. STABILITY AND REACTIVITY

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Incompatible materials (strong oxidizing agents), dust generation, excess heat.

Incompatibility with various substances: Reactive with oxidizing agents.

corrosivity: Non-corrosive in presence of glass.

Special Remarks on Reactivity: Slightly Hygroscopic

Special Remarks on Corrosivity: Not available.

Polymerization: Will not occur.

#### 11. TOXICOLOGICAL INFORMATION

No information available at this time.

Page 5

#### 12. ECOLOGICAL INFORMATION

No information available.

#### 13. DISPOSAL CONSIDERATIONS

Waste may be disposed of by local regulation. Contaminated absorbent material may be disposed of in an approved land fill.

#### 14. TRANSPORT INFORMATION

It is not classified as a dangerous substance for transport.

UN No.: Not Allocated

#### 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

- Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)

Not listed.

- Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

Not listed.

- Regulation 850/2004/EC on persistent organic pollutants (POP)

Not listed.

- Restrictions according to REACH, Annex XVII

not listed

- Restrictions according to REACH, Title VIII

None.

#### 16. OTHER INFORMATION

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

Page 6

#### Caution

The information contained in this Material Safety Data Sheet (MSDS) is believed to be correct since it was obtained from sources we believe are reliable. However no representation, guarantees or warranties of any kind are made as to its accuracy, suitability for particular applications, hazards connected with the use of the material, or the results to be obtained from the use thereof. User assumes all risks and liability of any use, processing or handling of any material, variations in methods, conditions and equipment used to store, handle, or process the material and hazards connected with the use of the material are solely the responsibility of the user and remain at his sole discretion.